



Helps Tires Run Cooler Extends Tread Life



RUST ELIMINATOR & LUBE

Non-Fiber



**Environmentally Friendly
Use For Preventative Maintenance**

Recommended for OFF-THE-ROAD tires

- ★ Stops rim leaks and vent leaks
- ★ Offers a perfect seat when remounting
- ★ Lubricates rims and tires for quick and easy removal
- ★ Eliminates rust on rims
- ★ Saves casings for recapping
- ★ Provides easy wipe-out for sectioning
- ★ Helps tires run cooler – and it never freezes

Packaged:

- ★ 6 Gallon Pail
- ★ 55 Gallon Drum
- ★ 275 Gallon Tote

OFF - THE - ROAD Installation Chart

| 2 gallons | 3 gallons | 4 gallons | 5 gallons | 6 gallons | 8 gallons | 10 gallons | 15 gallons | 18 gallons | 25 gallons |
|----------------|--------------|--------------|-----------|-------------|-----------|-------------|-------------|------------|------------|
| 12/13.00x24 | 16/21.00x25 | 18.0x33 | 24.00x35 | 24.00x9 | 45.65x45 | 33/36.00x51 | 37/40.00x57 | 50/90R57 | 53/80R63 |
| 14/16.00x24 | 20.5/23.5x25 | 21.00x35 | 33.5x33 | 37.5x33 | 27.00x49 | 37.5x51 | 45/95R57 | 45/95R57 | 55/80R63 |
| 14/16.00x25 | 26.5/29.5x25 | 18/21.00x49 | 29.5x35 | 37.25x35 | 30.00x51 | 50/65x51 | 53.5/85R57 | 53.5/85R57 | 59/80R63 |
| 15.5/17.5x25 | 16.9x28 | 26.5/29.5x29 | 33.25x35 | 35.65x33 | 30x56.5 | | | | |
| 14.9/16.9x24 | 18.4x28 | 33.25x29 | | 33.5x29 | 65/40x39 | | | | |
| 17.5L/19.5Lx24 | 21Lx24 | 23.1x26 | | 37.5x30 | | | | | |
| | | 24.5x32 | | 40.5R39 | | | | | |
| | | | | 27x56.5 | | | | | |
| | | | | 41.25/70x39 | | | | | |

Installation:

Pour product in BEFORE mounting. For mounted tires we recommend our Rust Eliminator Pump for 6 gallon pails. One (1) stroke = 8 oz. (128 oz. to a gallon). Prime pump before use. Rust Eliminator & Lube can be installed with air pressure in tire. Remove core, lock on pump (after prime).





RUST ELIMINATOR & LUBE



Benefits

- ★ *Tires run cooler to extend tread life by reducing heat build up*
- ★ *Stops rim and vent leaks*
- ★ *Increases casing life*
- ★ *Helps maintain air pressure – keeps bead area pliable and helps stop dry rot*
- ★ *Eliminates rust on rims*
- ★ *Helps detect valve and tire damage and rim cracks*
- ★ *Lubricates for quick tire removal*
- ★ *Lubricates for perfect seat when mounting and remounting (tires mount “true” every time)*
- ★ *Tire changer friendly – tire repairs made easier*
- ★ *Recap shop friendly – cleans out in seconds with wet vac*
- ★ *Will not block valve stem*
- ★ *Does not freeze*



Environmentally Friendly

“Our commitment to customers and product excellence is backed by years of research and manufacturing for the tire industry.”

Keeping with the theme of lowering maintenance costs and overall operational expenses, HSM Mining Solutions is now offering KTB Product's Rust Eliminator and Lube (RE&L) to mining end-users.

In its simplest form the product is a liquid that is added to the air chamber and acts as a “Rust Eliminator and Lube”, that when used, impacts tire and rim maintenance on several different levels.

KTB's primary focus is to act as a rust inhibitor that prevents rust from building up on any part of the rim by forming a protective coating for the steel. KTB can also be used on rims with rust build-up and over time will clean the existing rust formation by simply washing it away during operation. With the use of the Rust Eliminator and Lube end-users can eliminate the added cost and downtime of constant rim clean up and re-painting as well as having to replace a rim in its entirety.

Very popularly used as a preventative maintenance method, KTB RE&L is well known for reducing tire failures through improved air retention by acting as a sealant for vent/rim leaks, pinholes, and liner cracking. This quick sealing action combats against under inflation and allows for the units to remain in operation avoiding unnecessary downtime.

KTB also plays a very important role in maintaining a consistent running temperature in your OTR tires. The fluid is formulated in a way that it holds an absorbent heat function and acts as an agent for heat transfer to cooler areas of the tire.

In addition to the abovementioned functions, KTB RE&L also allows for an increased “ease of use” around the tire yard. When using the product it also acts as an excellent lubricant that makes mounting and dismounting tires a far faster and safer process, which in turn reduces the downtime and labor costs significantly. While mounting tires, KTB RE&L helps the O-Ring sit and seal properly avoiding any air leakage and potential loss of air pressure in operation.

KTB Products can be found as a recognized product under the Environmental Protection Agency's (EPA) - DfE (Designed for the Environment) Formulator Program. Having this DfE recognition places KTB Products well ahead of the competition. As the only tire additive that has gained this recognition, KTB Products has been commended by the DfE program for showing leadership in designing products that are good for the environment.

- ★ *Orders shipped within 48 hours*
- ★ *Custom-engineered products to match operating conditions*
- ★ *Product samples available*

